

Application Basics

| | |
|-------------------------------------|---|
| Name | Firefox |
| Version | 68.0b11 |
| Build ID | 20190617172838 |
| Update Channel | beta |
| User Agent | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:68.0) Gecko/20100101 Firefox/68.0 |
| OS | Windows_NT 10.0 |
| Launcher Process | Enabled |
| Multiprocess Windows | 1/1 Enabled by default |
| Remote Processes | 3 |
| Enterprise Policies | Inactive |
| Google Location Service Key | Found |
| Google Safebrowsing Key | Found |
| Mozilla Location Service Key | Found |
| Safe Mode | true |

Crash Reports for the Last 3 Days

Report ID Submitted

Firefox Features

| Name | Version | ID |
|---------------------|----------------|--------------------------------|
| Firefox Monitor | 3.0 | fxmonitor@mozilla.org |
| Firefox Screenshots | 39.0.0 | screenshots@mozilla.org |
| Form Autofill | 1.0 | formautofill@mozilla.org |
| Web Compat | 4.2.0 | webcompat@mozilla.org |
| WebCompat Reporter | 1.1.0 | webcompat-reporter@mozilla.org |

Remote Processes

| Type | Count |
|-------------|--------------|
| Web Content | 2 / 8 |
| Extension | 1 |

Extensions

| Name | Version | Enabled | ID |
|---------------------------------------|---------------------------|---------|---|
| Amazon.de | 1.1 | true | amazon@search.mozilla.org |
| Bing | 1.0 | true | bing@search.mozilla.org |
| DuckDuckGo | 1.0 | true | ddg@search.mozilla.org |
| eBay | 1.0 | true | ebay@search.mozilla.org |
| Ecosia | 1.0 | true | ecosia@search.mozilla.org |
| Google | 1.0 | true | google@search.mozilla.org |
| LEO Eng-Deu | 1.0 | true | leo_ende_de@search.mozilla.org |
| Wikipedia (de) | 1.0 | true | wikipedia@search.mozilla.org |
| AdBlock | 3.30.0 | false | jid1-NIfFY2CA8fy1tg@jetpack |
| AdBlocker Ultimate | 2.37 | false | adblockultimate@adblockultimate.net |
| AdGuard Werbeblocker | 3.1.3 | false | adguardadblocker@adguard.com |
| Adobe Acrobat | 18.0.10 | false | web2pdfextension.17@acrobat.adobe.com |
| APKFtech APK Downloader | 1.3 | false | APKFtech@APKFtech.com |
| EPUBReader | 2.0.8 | false | {5384767E-00D9-40E9-B72F-9CC39D655D6F} |
| hotfix-update-xpi-intermediate | 1.0.6 | false | hotfix-update-xpi-intermediate@mozilla.com |
| I don't care about cookies | 3.0.1 | false | jid1-KKzOGWgsW3Ao4Q@jetpack |
| Kaspersky Protection | 5.1.94.31d-20181025120249 | false | light_plugin_A07576A3CEBC4A72A8CF2C925907DB05@kaspersky.com |
| Myibidder Auction Bid Sniper for eBay | 1.4.3 | false | firefox1@myibay.com |
| NoScript | 10.6.3 | false | {73a6fe31-595d-460b-a920-fcc0f8843232} |
| SPON - Minus | 1.0 | false | {0584da53-7d05-4983-a1d2-c0cb7f74bfb8} |

| Name | Version | Enabled | ID |
|----------------|---------|---------|-------------------------|
| uBlock Origin | 1.20.0 | false | uBlock0@raymondhill.net |
| Windscribe VPN | 2.4.3 | false | @windscribef |

Security Software

| Type | Name |
|-------------|-----------------------------|
| Antivirus | Kaspersky Internet Security |
| Antispyware | |
| Firewall | Kaspersky Internet Security |

Graphics

Features

Compositing Basic

Asynchronous Pan/Zoom wheel input enabled; scrollbar drag enabled; keyboard enabled; autoscroll enabled

WebGL

L 1

Driver -

WSI

Info

WebGL

L 1

Driver WebGL is currently disabled.

Render

er

WebGL

L 1

Driver -

Version

WebGL

L 1

Driver -

Extensions

ons

WebGL

L 1

Extensions -

ons

WebG
L 2
Driver -
WSI
Info
WebG
L 2
Driver WebGL is currently disabled.

Render
er

WebG
L 2
Driver -
Version

WebG
L 2
Driver -
Extensi
ons

WebG
L 2
Extensi -
ons

Target
Frame 60
Rate

Direct true (10.0.18362.175)
Write

GPU #1

Active Yes

Descrip
tion NVIDIA GeForce GTX 1050

Vendor
ID 0x10de

Device
ID 0x1c81

Driver
Version 25.21.14.1735

Driver
Date 12-11-2018

Drivers C:\WINDOWS\System32\DriverStore\FileRepository\nv_dispi.inf_amd64_01c064f3d89f92be\nvldumdx.dll,C:\WINDOWS\System32\DriverStore\FileRepository\nv_dispi.inf_amd64_01c064f3d89f92be\nvldumdx.dll,C:\WINDOWS\System32\DriverStore\FileRepository\nv_dispi.inf_amd64_01c064f3d89f92be\nvldumdx.dll,C:\WINDOWS\System32\DriverStore\FileRepository\nv_dispi.inf_amd64_01c064f3d89f92be\nvldumdx.dll,C:\WINDOWS\System32\DriverStore\FileRepository\nv_dispi.inf_amd64_01c064f3d89f92be\nvldumd.dll,C:\WINDOWS\System32\DriverStore\FileRepository\nv_d

ispi.inf_amd64_01c064f3d89f92be\nvldumd.dll,C:\WINDOWS\System32\DriverStore\FileRepository\nv_dispi.inf_amd64_01c064f3d89f92be\nvldumd.dll,C:\WINDOWS\System32\DriverStore\FileRepository\nv_dispi.inf_amd64_01c064f3d89f92be\nvldumd.dll

Subsys ID 1c8110de

RAM 2048

Diagnostics

AzureCanvasBackend skia

AzureContentBackend skia

AzureFallbackCanvasBackend cairo

ClearType Parameters Gamma: 1,8 Pixel Structure: RGB ClearType Level: 100 Enhanced Contrast: 50

Decision Log

HW_COMPOSITING blocked by runtime: Acceleration blocked by safe-mode

D3D11_COMPOSITING unavailable by default: Hardware compositing is disabled

DIRECT2D unavailable by default: Direct2D requires Direct3D 11 compositing

D3D11_HW_ANGLE unavailable by default: D3D11 compositing is disabled
disabled by env: D3D11 compositing is disabled

GPU_PROCS blocked by runtime: Safe-mode is enabled

WEBRENDER opt-in by default: WebRender is an opt-in feature
available by user: Qualified enabled by pref
unavailable-no-angle by runtime: ANGLE is disabled

OMTP blocked by runtime: OMTP blocked by safe-mode

Media

Audi
o
Back wasapi
end
Max
Chan 2
nels
Prefer
rred
Samp 48000
le
Rate

Output Devices

| Name | Group | Vendor | Status | Preferred | Format | Channels | Rate | Latency |
|---|--|--------|-----------|-----------|---|----------|---|---------|
| NVI DIA Output (NVI DIA High Definition Audio) | HDAUDIO\FUNC_01&VEN_10DE&DEV_0080 &SUBSYS_10DE1C81&REV_10015&10021bf& 0&0001 | | Unplugged | Non | default: F3 2L E, superior: S1 6L E F3 2L E | 0 | default: : 0, superior: t: 0 - 0 | 0 - 0 |
| | | | Disabled | Non | default: F3 2L E, superior: S1 6L E F3 2L E | 2 | default: : 480 00, superior: t: 480 00 - 480 00 | 0 - 0 |

Lautsprecher
(High Definition Audio Device)

HDAUDIO\FUNC_01&VEN_10EC&DEV_0892
&SUBSYS_10438410&REV_1003\4&2cb35cc7&0&0001

Unplugged

default : F3 2L E, sup port: S1 6L E F3 2L E

Digitale HD MI (High Definition Audio-Gerät)

HDAUDIO\FUNC_01&VEN_10DE&DEV_0080
&SUBSYS_10DE1C81&REV_1001\5&10021bf&0&0001

Disabled

default : F3 2L E, sup port: S1 6L E F3 2L E

Digitale (S/PDIF) (High Definition Audio Device)

HDAUDIO\FUNC_01&VEN_10EC&DEV_0892
&SUBSYS_10438410&REV_1003\4&2cb35cc7&0&0001

Enabled

default : F3 2L E, sup port: S1 6L E F3 2L E
default : 480 00, sup port: 129 - 480 480 00 480 00

NVIDIA (NVI

HDAUDIO\FUNC_01&VEN_10DE&DEV_0080
&SUBSYS_10DE1C81&REV_1001\5&10021bf&0&0001

Disabled

default : F3 2L E
default : 0, sup port: 0

DIA
High
Defin
ition
Audi
o)

E,
sup
por
t:

S1
6L
E
F3
2L
E

def
ault
:

F3
2L
E,

sup
por
t:

S1
6L
E
F3
2L
E

def
ault
:

F3
2L
E,

sup
por
t:

S1
6L
E
F3
2L
E

def
ault
:

F3
2L
E,

sup
por
t:

S1

t: 0
- 0

Digit
alaudi
o
(HD
MI)
(High
Defin
ition
Audi
o-
Gerät
)

HDAUDIO\FUNC_01&VEN_10DE&DEV_0080
&SUBSYS_10DE1C81&REV_1001\5&10021bf&
0&0001

Disa
bled

Non
e

0

def
ault
: 0, 0 -
sup
por
t: 0
- 0

Intern
e
AUX
-
Buch
se
(High
Defin
ition
Audi

HDAUDIO\FUNC_01&VEN_10EC&DEV_0892
&SUBSYS_10438410&REV_1003\4&2cb35cc7&
0&0001

Disa
bled

Non
e

0

def
ault
: 0, 0 -
sup
por
t: 0
- 0

o
Device
e)

Kopf
hörer
(High
Definition
Audio
o
Device
e)

NVI
DIA
Output
(NVI
DIA
High
Definition
Audio
o)

Digit
alaudio
o
(S/PD
IF)
(High
Definition
Audio
o
Device
e)

| | | | |
|----------|------|---------|----------|
| | | 6L | |
| | | E | |
| | | F3 | |
| | | 2L | |
| | | E | |
| | | default | default |
| | | : | : |
| | | F3 | : |
| | | 2L | 480 |
| | | E, | 00, |
| | | sup | sup 129 |
| Enabled | All | por 2 | por - |
| | | t: | t: 480 |
| | | S1 | 480 |
| | | 6L | 00 |
| | | E | - |
| | | F3 | 480 |
| | | 2L | 00 |
| | | E | |
| | | default | |
| | | : | |
| | | F3 | |
| | | 2L | default |
| | | E, | default |
| Disabled | None | sup | : 0, 0 - |
| | | por 0 | sup 0 |
| | | t: | por 0 |
| | | S1 | t: 0 |
| | | 6L | - 0 |
| | | E | |
| | | F3 | |
| | | 2L | |
| | | E | |
| | | default | default |
| | | : | : |
| | | F3 | : |
| | | 2L | 480 |
| | | E, | 00, |
| | | sup | sup 129 |
| Enabled | None | por 2 | por - |
| led | e | t: | t: 480 |
| | | S1 | 480 |
| | | 6L | 00 |
| | | E | - |
| | | F3 | 480 |
| | | 2L | 00 |
| | | E | |

NVI
 DIA
 Output
 (NVI HDAUDIO\FUNC_01&VEN_10DE&DEV_0080
 DIA &SUBSYS_10DE1C81&REV_10015&10021bf&
 High 0&0001
 Definition
 Audio)

default
 :
 F3
 2L
 E,
 disabled Non
 supported
 : 0, 0 -
 : 0
 : 0
 - 0
 E
 F3
 2L
 E

NVI
 DIA
 Output
 (NVI HDAUDIO\FUNC_01&VEN_10DE&DEV_0080
 DIA &SUBSYS_10DE1C81&REV_10015&10021bf&
 High 0&0001
 Definition
 Audio)

default
 :
 F3
 2L
 E,
 Unplugged Non
 supported
 : 0, 0 -
 : 0
 : 0
 - 0
 E
 F3
 2L
 E

Internal
 AUX HDAUDIO\FUNC_01&VEN_10EC&DEV_0892
 - &SUBSYS_10438410&REV_10034&2cb35cc7&
 0&0001
 Buch

default
 :
 F3
 2L
 E,
 disabled Non
 supported
 : 0, 0 -
 : 0
 : 0
 - 0
 E
 F3
 2L
 E
 default
 : 0
 F3
 2L
 E
 default
 : 0, 0 -
 : 0
 : 0
 - 0

| | | | | | |
|--|---|---------------|----------|--|---------------------------------------|
| se (High Defin ition Audi o Devic e) | | | | E, sup por t: S1 6L E F3 2L E def ault | t: 0 - 0 |
| NVI DIA Outp ut (NVI DIA High Defin ition Audi o) | HDAUDIO\FUNC_01&VEN_10DE&DEV_0080 &SUBSYS_10DE1C81&REV_1001\5&10021bf& 0&0001 | Unpl ugged | Non e | : F3 2L E, sup por t: S1 6L E F3 2L E def ault | : 0, 0 - sup por t: 0 - 0 |
| Digit al audi o (HD MI) (High Defin ition Audi o- Gerät) | HDAUDIO\FUNC_01&VEN_10DE&DEV_0080 &SUBSYS_10DE1C81&REV_1001\5&10021bf& 0&0001 | Disa bled | Non e | : F3 2L E, sup por t: S1 6L E F3 2L E def ault | : 0, 0 - sup por t: 0 - 0 |

Input Devices

| Name | Group | Vendor | State | Preferred | Format | Channels | Rate | Latency |
|---------------------------|---|--------|--------------|-----------|------------------------------------|----------|--------------------------------------|----------|
| Interne AUX- Buchse | HDAUDIO\FUNC_01&VEN_10DE&DEV_0080 &SUBSYS_10DE1C81&REV_1001\5&10021bf& 0&0001 | | Disa bled | Non e | def ault : F3 2L E, | 0 | def ault : 0, sup por | 0 - 0 |

(NVI
DIA
High
Defin
ition
Audi
o)

sup
por
t:
S1
6L
E
F3
2L
E

t: 0
- 0

Disa
bled

Non
e

def
ault
:
F3
2L
E,

def
ault

: 0, 0 -
sup
por
t: 0
- 0

sup
por
t:
S1
6L
E
F3
2L
E

Intern
e
AUX
-
Buch
se
(NVI
DIA
High
Defin
ition
Audi
o)

HDAUDIO\FUNC_01&VEN_10DE&DEV_0080
&SUBSYS_10DE1C81&REV_1001\5&10021bf&
0&0001

Disa
bled

Non
e

def
ault
:
F3
2L
E,

def
ault

: 0, 0 -
sup
por
t: 0
- 0

sup
por
t:
S1
6L
E
F3
2L
E

Intern
e
AUX
-
Buch
se
(NVI
DIA
High
Defin
ition

HDAUDIO\FUNC_01&VEN_10DE&DEV_0080
&SUBSYS_10DE1C81&REV_1001\5&10021bf&
0&0001

Disa
bled

Non
e

def
ault
:
F3
2L
E,

def
ault

: 0, 0 -
sup
por
t: 0
- 0

sup
por
t:
S1
6L

Audio)

Interne AUX

- Buchse

HDAUDIO\FUNC_01&VEN_10DE&DEV_0080 (High Definition Audio) &SUBSYS_10DE1C81&REV_1001\5&10021bf&0&0001

High Definition Audio)

Interne AUX

- Buchse

HDAUDIO\FUNC_01&VEN_10EC&DEV_0892 (High Definition Audio Device) &SUBSYS_10438410&REV_1003\4&2cb35cc7&0&0001

High Definition Audio Device)

Interne AUX

- Buchse

HDAUDIO\FUNC_01&VEN_10DE&DEV_0080 (High Definition Audio Device) &SUBSYS_10DE1C81&REV_1001\5&10021bf&0&0001

High Definition Audio Device)

| | | |
|---------------|------------|---------|
| | E | |
| | F3 | |
| | 2L | |
| | E | |
| | default | |
| | : | |
| | F3 | |
| | 2L | default |
| | E, | 0, 0 - |
| Disabled | supported: | 0 - |
| Non-essential | S1 | 0 |
| | 6L | - 0 |
| | E | |
| | F3 | |
| | 2L | |
| | E | |
| | default | |
| | : | |
| | F3 | |
| | 2L | default |
| | E, | 0, 0 - |
| Disabled | supported: | 0 - |
| Non-essential | S1 | 0 |
| | 6L | - 0 |
| | E | |
| | F3 | |
| | 2L | |
| | E | |
| | default | |
| | : | |
| | F3 | |
| | 2L | default |
| | E, | 0, 0 - |
| Disabled | supported: | 0 - |
| Non-essential | S1 | 0 |
| | 6L | - 0 |
| | E | |
| | F3 | |
| | 2L | |
| | E | |

browser.cache.disk.telemetry_report_ID 15
browser.cache.frecency_experiment 2
browser.download.folderList 0
browser.download.useDownloadDir false
browser.places.smartBookmarksVersion 8
browser.search.useDBForOrder true
browser.sessionstore.upgradeBackup.latestBuildID 20190617172838
browser.startup.homepage www.google.de
browser.startup.homepage_override.buildID 20190617172838
browser.startup.homepage_override.mstone 68.0
browser.tabs.remote.autostart.2 true
browser.tabs.warnOnClose false
browser.urlbar.lastSuggestionsPromptDate 20170917
browser.urlbar.matchBuckets general:5,suggestion:Infinity
browser.urlbar.timesBeforeHidingSuggestionsHint 0
browser.zoom.full false
dom.push.userAgentID 1fbf5dd98f844097bd83bc4dca2531c9
extensions.lastAppVersion 68.0
font.internaluseonly.changed true
gfx.crash-guard.d3d11layers.appVersion 56.0.2
gfx.crash-guard.d3d11layers.deviceID 0x1c81D
gfx.crash-guard.d3d11layers.driverVersion 23.21.13.8813
gfx.crash-guard.d3d11layers.feature-d2d true

| | |
|---|-----------------|
| gfx.crash-guard.d3d11layers.feature-d3d11 | true |
| gfx.crash-guard.status.d3d11layers | 2 |
| gfx.crash-guard.status.d3d11video | 2 |
| gfx.crash-guard.status.wmfvpvideo | 2 |
| gfx.crash-guard.wmfvpvideo.appVersion | 68.0 |
| gfx.crash-guard.wmfvpvideo.deviceID | 0x1c81D |
| gfx.crash-guard.wmfvpvideo.driverVersion | 25.21.14.1735 |
| idle.lastDailyNotification | 1561020808 |
| layers.mlgpu.sanity-test-failed | false |
| media.benchmark.vp9.fps | 229 |
| media.benchmark.vp9.versioncheck | 5 |
| media.gmp-gmpopenh264.abi | x86_64-msvc-x64 |
| media.gmp-gmpopenh264.lastUpdate | 1558250767 |
| media.gmp-gmpopenh264.version | 1.8.1 |
| media.gmp-manager.buildID | 20190617172838 |
| media.gmp-manager.lastCheck | 1560978663 |
| media.gmp-widevinecdm.abi | x86_64-msvc-x64 |
| media.gmp-widevinecdm.lastUpdate | 1544868035 |
| media.gmp-widevinecdm.version | 4.10.1146.0 |
| media.gmp.storage.version.observed | 1 |
| media.hardware-video-decoding.failed | false |
| network.cookie.lifetimePolicy | 2 |

| | |
|---|--|
| network.cookie.prefsMigrated | true |
| network.dns.disablePrefetch | true |
| network.http.speculative-parallel-limit | 0 |
| network.predictor.cleaned-up | true |
| network.predictor.enabled | false |
| network.prefetch-next | false |
| places.database.lastMaintenance | 1560719994 |
| places.history.enabled | false |
| places.history.expiration.transient_current_max_pages | 86422 |
| plugin.disable_full_page_plugin_for_types | application/pdf |
| plugins.ctprollout.cohort | test |
| plugins.ctprollout.cohortSample | 0.667542 |
| privacy.donottrackheader.enabled | true |
| privacy.history.custom | true |
| privacy.sanitize.didShutdownSanitize | true |
| privacy.sanitize.pending | [{"id":"shutdown","itemsToClear":["cache","cookies","history","formdata","downloads","sessions"],"options":{}},{id:"ne |
| privacy.sanitize.sanitizeOnShutdown | true |
| security.disable_button.openCertManager | false |
| security.insecure_field_warning.contextual.enabled | false |
| security.remote_settings.intermediates.checked | 1559669458 |
| security.sandbox.content.tempDirSuffix | {827cf45b-8904-49a5-993c-50e48d9564d0} |
| security.sandbox.plugin.tempDirSuffix | {1a97ddff-030f-440c-a40d-e968c58cf691} |
| services.sync.declinedEngines | |
| signon.importedFromSqlite | true |
| storage.vacuum.last.index | 1 |
| storage.vacuum.last.places.sqlite | 1559719987 |

ui.osk.debug.keyboardDisplayReason IKPOS: Touch screen not found.

Important Locked Preferences

security.enterprise_roots.enabled true

Places Database

JavaScript

Incremental GC true

Accessibility

Activated false
Prevent Accessibility 0
Accessible Handler Used true
Accessibility Instantiator

Library Versions

| | Expected minimum version | Version in use |
|---------|--------------------------|----------------|
| NSPR | 4.21 | 4.21 |
| NSS | 3.44 | 3.44 |
| NSSMIME | 3.44 | 3.44 |
| NSSSSL | 3.44 | 3.44 |
| NSSUTIL | 3.44 | 3.44 |

Sandbox

Content Process Sandbox Level 5
Effective Content Process Sandbox Level 5

Internationalization & Localization

Application Settings
Requested Locales ["de"]
Available Locales ["de","en-US"]
App Locales ["de","en-US"]
Regional Preferences ["de-DE"]

Default Locale "de"
Operating System
System Locales ["de-DE"]
Regional Preferences ["de-DE"]